

1. Board Of Health Packet

Documents: [10 MAINE AVE VARIANCE.PDF](#), [20 EQUATOR DR VARIANCE.PDF](#),  
[TIGHTTANKREQUEST\\_3-9-16.PDF](#), [VARIANCE 84 QUIDNET RD 21- 100 \\_101.PDF](#)



NANTUCKET HEALTH DEPARTMENT

3 EAST CHESTNUT STREET

NANTUCKET, MASSACHUSETTS 02554

Telephone 508.228.7200

Fax 508.325.6117

RECEIVED  
MAR 09 2016  
BY: PD MS

BOARD OF HEALTH REGULATION  
VARIANCE REQUEST

\$20 per request

I am requesting: (Check one.)

A variance of a Local Board of Health Regulation

A variance of a State Public Health Regulation (310 CMR 15, 105 CMR 590, etc...)

Please write an explanation of the variance requested (use separate paper if needed):

Installation of a tight tank in Madaket, north of Millie's Bridge. Please refer to the attached letter dated March 9, 2016.

Requestor Name: Arthur Gasbarro, PE, PLS – Agent for Maine Avenue Trust

Company Name: (if applicable) Nantucket Engineering & Survey, P.C.

Address: 10 Maine Ave MAP: 60.3.1 PARCEL: 433 & 459

Phone No. 508-825-5053 Fax No. \_\_\_\_\_

Email: art@nantucketengineer.com

Requestor's Signature: *Arthur Gasbarro*

Date: 3/9/16

Please be advised that the Health Department accepts variance requests up to one week before a scheduled Board of Health meeting. Applications received after this deadline will be placed at the subsequent scheduled meeting.

Received by: \_\_\_\_\_

Date: \_\_\_\_\_



March 9, 2016

Nantucket Board of Health  
3 East Chestnut St  
Nantucket, MA 02554

Re: #10 Maine Ave  
Map 60.3.1 Parcels 433 & 459  
Request for Tight Tank Approval

Dear Board Members:

On behalf of the Maine Avenue Trust I am writing to request approval for the installation of a tight tank per The State Environmental Code, Title 5: 310CMR15.260 & Town of Nantucket Board of Health Regulations Section 49.00. Included for your review are a locus map and a site plan with the proposed tight tank shown. The proposed tank is to replace an existing system that is compromised due to the erosion on #14 Maine Ave. The tank is proposed to serve two existing structures that will be relocated from #14 to #10 Maine Ave, which is immediately adjacent. The owner of #14 has a pending purchase of #10 from the Town of Nantucket through the yard sale program. The transaction is delayed due to process related to registered (Land Court) property. There is no proposed expansion of the structures or capacity.

The project site is located north of Millie's Bridge, within the district set forth in Section 49. There is an eroding Coastal Bank in the area, from which the tank is proposed approximately 110-feet away from. This proposal sets forth a net benefit of a greater level of environmental protection by complete removal of the pollutant loading from the site. I plan to attend your next meeting should you have any questions.

Sincerely,  
Blackwell & Associates, Inc.  
By: Arthur D. Gasbarro, P.E., P.L.S.

A handwritten signature in black ink, appearing to read "Arthur D. Gasbarro".

Cc: James Merberg, Trustee  
C. Elizabeth Gibson, Town Manager



THIS PLOT PLAN WAS PREPARED FOR THE TOWN OF NANTUCKET HEALTH DEPARTMENT ONLY AND SHOULD NOT BE CONSIDERED A PROPERTY LINE SURVEY. THIS PLAN SHOULD NOT BE USED TO ESTABLISH PROPERTY LINES, FENCES, HEDGES OR ANY ANCILLARY STRUCTURES ON THE PREMISES. THE PROPERTY LINES SHOWN RELY ON CURRENT DEEDS AND PLANS OF RECORD.

**NOTE:**  
SEPTIC SYSTEM AND WELL LOCATIONS SHOWN HEREON ARE BASED UPON RECORD FILES AT THE NANTUCKET HEALTH DEPARTMENT.

**LEGEND**  
 ODS DENOTES OUTDOOR SHOWER  
 --- DENOTES RESOURCE AREA BOUNDARY  
 11 --- DENOTES EXIST. GRADE CONTOUR  
 C.O. DENOTES PROPOSED CLEANOUT

\*EXISTING LEACH TRENCH AND COMPONENTS TO BE REMOVED\*  
 \*EXISTING SEPTIC TANK AND SEPTIC COMPONENTS TO BE PUMPED EMPTY AND REMOVED\*



**SITE PLAN TO ACCOMPANY AN UPGRADE OF A SUBSURFACE SEWAGE TREATMENT & DISPOSAL SYSTEM WITH A TIGHT TANK**

In Nantucket, MA  
 prepared for  
**MAINE AVENUE TRUST**

ASSESSOR'S MAP 60.3.1, PARCELS 433, 459  
 #10 MAINE AVENUE

Scale: 1" = 50' MARCH 2, 2016

**BLACKWELL and ASSOCIATES, Inc.**  
 Professional Land Surveyors  
 20 FELSIBLE CIRCLE  
 NANTUCKET, MASS. 02554  
 (508) 228-9026



**LOT OF RECORD**  
 LOT CREATED: MAY 1, 1912  
 TOTAL LOT AREA= 20,000 S.F.±

**OWNER INFORMATION**  
 JAMES M. HERBERG, TRUSTEE  
 MAINE AVENUE TRUST  
 Cert. 22413  
 L.C.C. 2408-M, LOTS 5-6 & 43-44, Block 34  
 ASSESSOR'S MAP 60.3.1, PARCELS 431 & 463  
 #12 & #14 MAINE AVENUE


**OWNER INFORMATION**  
 TOWN OF NANTUCKET  
 ORDER OF TAKING DOC. 148406  
 L.C.C. 2408-M, LOTS 7-8 & 39-42, Block 34  
 ASSESSOR'S MAP 60.3.1, PARCELS 433 & 459  
 #10 MAINE AVENUE

**GENERAL NOTES**

1. ALL CONSTRUCTION TO CONFORM TO TITLE 8 OF MASSACHUSETTS STATE ENVIRONMENTAL CODE (310 CMR 15.000 IN EFFECT AS OF MARCH, 2008) AND THE BOARD OF HEALTH REQUIREMENTS FOR THE TOWN OF NANTUCKET.
2. TIGHT JOINT (TJ) PIPING TO CONSIST OF POLYVINYL CHLORIDE PIPE (PVC) SCHEDULE 40 UNLESS OTHERWISE NOTED OR AUTHORIZED. ALL PIPES TO BE LAID ON A FIRM BASE. TIGHT JOINTS TO BE WATER TIGHT.
3. THE PROPOSED HOLDING TANK SYSTEM SHALL NOT BE BACKFILLED PRIOR TO INSPECTION AND APPROVAL BY THE TOWN OF NANTUCKET BOARD OF HEALTH AND/OR ARTHUR D. CASSARRO, P.E., THE DESIGN ENGINEER.
4. UNDERGROUND, AS WELL AS OVERHEAD, UTILITY DATA INDICATED IS PLOTTED FROM VISIBLE FIELD LOCATION AND RECORDS MADE AVAILABLE TO BLACKWELL & ASSOC., INC. THE LOCATIONS ARE APPROXIMATE ONLY AND VERIFICATION SHOULD BE MADE IN THE FIELD PRIOR TO CONSTRUCTION.
5. WORK SHOWN HEREON DOES NOT IMPLY CONFORMANCE WITH THE ZONING BY-LAWS OF THE TOWN OF NANTUCKET.
6. THE HOLDING TANK SHALL BE EQUIPPED WITH A HIGH WATER LEVEL "ALARM BELL" - LIGHT SYSTEM WHICH SHALL BE SET AT 3/4 THIS CAPACITY.
7. ANY CONDITIONS ENCOUNTERED DURING CONSTRUCTION DIFFERING FROM THOSE SHOWN HEREON SHALL BE REPORTED TO ARTHUR D. CASSARRO, P.E., THE DESIGN ENGINEER, BEFORE CONSTRUCTION CONTINUES.
8. THE INSTALLED HOLDING TANK MUST BE WATERPROOF AND WATERTIGHT AND MUST HAVE AT LEAST ONE (1) 24" DIA. CAST IRON FRAME AND COVER AT FINISHED GRADE SO AS TO ELIMINATE ENTRANCE OF SURFACE WATERS.
9. THE OWNER SHALL PROVIDE THE TOWN OF NANTUCKET BOARD OF HEALTH WITH THE NAME OF THE CONTRACTED LICENSED SEPTAGE HAULER. DISPOSAL LOCATION: SURFSIDE WASTEWATER TREATMENT FACILITY.
10. PROPOSED HOLDING TANK SYSTEM TO COMPLY WITH THE D.E.P.'S "TIGHT TANK" POLICY IN EFFECT AS OF MARCH 2006 310 CMR 15.260
11. NO PROPERTY SURVEY WAS MADE AS PART OF THIS PLAN. PROPERTY LINE INFORMATION INDICATED WAS OBTAINED FROM RECORD DEEDS AND/OR PLANS.
12. AS-BUILT PLANS AND MEASUREMENTS ARE REQUIRED BY THE NANTUCKET BOARD OF HEALTH. CONTACT BLACKWELL & ASSOCIATES, INC. @ (508)228-9028 FOR AS-BUILT/SURVEY.
13. TOPOGRAPHIC DATA COLLECTED BY BLACKWELL & ASSOC., INC. ON 02/10/18 CONDITIONS SHOWN ARE AS OF SAID DATE.
14. PROPOSED CONSTRUCTION IS SUBJECT TO THE MASSACHUSETTS WETLANDS PROTECTION ACT (M.G.L. C131 S.40) AS ADMINISTERED BY THE TOWN OF NANTUCKET CONSERVATION COMMISSION AND THE MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION (D.E.P.).
15. EXISTING WELL & SEPTIC SYSTEM LOCATIONS SHOWN HEREON ARE BASED ON RECORD FILES OF THE TOWN OF NANTUCKET HEALTH DEPARTMENT.

**DESIGN CRITERIA**

1. TYPE OF ESTABLISHMENT: EXISTING 2 BEDROOM FACILITY
2. DESIGN FLOW: 2 BEDROOMS AT 110 GALS./BEDROOM/DAY = 220 GALLONS/DAY
3. HOLDING TANK CAPACITY REQUIRED  
220 GAL/DAY x 60% = 1,100 GALLONS
4. HOLDING TANK CAPACITY PROVIDED- 4,000 GALS.  
FINISHED CAPACITY IS 1,818% GREATER THAN THE AVERAGE DAILY DESIGN FLOW (4,000 GALS / 220 GPD x 100% = 1,818%)  
AVERAGE DESIGN TIME BETWEEN PUMPINGS- 18.1 DAYS (4,000 GALS. / 220 GPD = 18.1 DAYS)  
AVERAGE DESIGN TIME TO ALARM LEVEL - 10.9 DAYS (2,400 GALS. / 220 GPD = 10.9 DAYS)
5. IN-HOUSE WATER CONSERVATION PRACTICES AND THE INSTALLATION OF WATER-SAVING DEVICES ARE ENCOURAGED TO MINIMIZE PUMPING FREQUENCY.



**REQUIRED MAINTENANCE**

1. THE 4,000 GALLON CAPACITY HOLDING TANK SYSTEM MUST BE PUMPED ON A REGULAR "AS-NEEDED" BASIS. ALL PUMPING RECORDS MUST BE MAINTAINED BY THE PROPERTY OWNER.
2. THE HOLDING TANK SYSTEM MUST BE SERVICED BY A LICENSED SEPTAGE HAULER (APPROVED/LICENSED BY THE TOWN OF NANTUCKET).

**HOLDING TANK SYSTEM PROFILE & DETAILS**

NO SCALE

**STATEMENT OF NEED**

1. NO CHANGE IN USE OF AN EXISTING 2 BEDROOM HOUSE IS PROPOSED.
2. PLAN IMPLEMENTATION REQUIRES WRITTEN APPROVAL BY THE NANTUCKET BOARD OF HEALTH AND 310 CMR 15.260 REQUIRES DEPARTMENT APPROVAL OF THE USE OF A TIGHT TANK.
3. PROPOSED HOLDING TANK SYSTEM WILL REPLACE AN EXISTING SEPTIC SYSTEM IN JEOPARDY OF EROSION. SURROUNDING ENVIRONMENTAL CONDITIONS WILL BE IMPROVED BY THE INSTALLATION OF THE PROPOSED HOLDING TANK SYSTEM.
4. THE INSTALLATION OF AN ACCEPTABLE, TYPICAL SEPTIC TANK/LEACHING FACILITY IS LESS FEASIBLE DUE TO EXTREME EROSION RATES.
5. PROPERTY IS LOCATED WITHIN THE MADAKET TIGHT TANK DISTRICT.

**FLOTATION CALCULATIONS**

ASSUME WORST CASE: G.W. @ TOP OF TANK (ELEV.-8.42)  
 WEIGHT OF CONCRETE: 40,480 LBS. PER PRECAST MANUFACTURER  
 WEIGHT OF WATER: (17' x 7') x (7.75') = 922.25 C.F.  
 922.25 C.F. x 62.4 LBS./C.F. = 57,549 LBS.  
 WEIGHT OF SOIL COVER: (17' x 7') x (2.58' DEEP) = 307 C.F.  
 307 C.F. x 70 LBS./C.F. = 21,490 LBS.  
 WEIGHT OF SOIL COVER + CONCRETE: 61,970 LBS.  
 WEIGHT OF CONCRETE + SOIL COVER IS GREATER THAN WEIGHT OF WATER, THEREFORE TANK WILL NOT FLOAT WHEN EMPTY. AFTER BACKFILLING, USE CAUTION UNTIL BACKFILLED AND PROWDE ANCHORING IF NEEDED.

**ALARM PANEL**

#7001-VERSA'ALARM TANK ALARM(CONTROL SWITCH INCLUDED)  
 #7006-AUTO DIALER  
 ALDERON INDUSTRIES  
 WWW.ALDERONIND.COM  
 (218)-483-3034

**SITE PLAN TO ACCOMPANY AN UPGRADE OF A SUBSURFACE SEWAGE TREATMENT & DISPOSAL SYSTEM WITH A TIGHT TANK**

In Nantucket, MA  
 prepared for  
**MAINE AVENUE TRUST**

ASSESSOR'S MAP 60.3.1, PARCELS 433, 459  
 #10 MAINE AVENUE  
 MARCH 2, 2016

**BLACKWELL and ASSOCIATES, Inc.**  
 Professional Land Surveyors  
 20 TRAILDALE CIRCLE  
 NANTUCKET, MASS. 02554  
 (508) 228-9028

March 7, 2016

Nantucket Board of Health  
2 East Chestnut Street  
Nantucket, MA. 02554  
Attn: Roberto Santamaria, Health Director

RE: 20 Equator Drive (Tax Map: 66, Parcel:225) Variance Request (69.05), Temporary stay for the mandatory connection to a Sanitary Sewer.

Dear Mr. Santamaria,

I am writing on behalf of my elderly mother, Jacqueline Maltby of 20 Equator Drive (Map 66, Parcel 225) on Nantucket. We are requesting a temporary waiver of the Town of Nantucket's requirement to connect her property to the Town sewer in accordance with Zone II Wellhead Protection Area, or face stiff penalties.

My mother is 88 years old and lives on a limited income. She is generally confined to her home and is experiencing some difficulties in managing her affairs. I am now trying to help her with the letter the Town sent her last fall, which I recently became aware of, notifying her of her requirement to connect to the sewer immediately or face huge penalties.

After speaking with my surveyors, I have been able to determine that while a portion of my mother's property lies within the zone II Wellhead Protection Area, the entire property does not, nor does it appear that her septic system itself does. We recognize that at some point within the next 10 years that the septic system will begin to fail and it will become necessary to connect the property to the sewer at that time. It is also a possibility that before the system fails it may become necessary to sell her home, and that too, will necessitate connecting to the sewer. What we are asking for is a waiver to delay the connection until such time either of these events occur.

My mother has regularly maintained her septic system and with her limited use of this system it seems cruel and unnecessary to further restrict her financial resources to make this connection at this moment in time.

I have attached a GIS overlay of the wellhead protection area over her lot at 20 Equator as well as a copy of her "As Built" septic system.


I look forward to hearing from you soon to determine how we can proceed to balance the needs of the Town against the needs of my mother.

Sincerely,

Cam Maltby  
17 Hawthorne Ln  
Nantucket, MA 02554  
508-332-8902

attachments: GIS overlay, Septic As Built

GIS OVERLAY  
JACQUELINE MALTRY MAP 66 PARCEL 225  
20 EQUATOR DRIVE







March 9, 2016

Nantucket Board of Health  
3 East Chestnut St  
Nantucket, MA 02554

Re: #10 Maine Ave  
Map 60.3.1 Parcels 433 & 459  
Request for Tight Tank Approval

Dear Board Members:

On behalf of the Maine Avenue Trust I am writing to request approval for the installation of a tight tank per The State Environmental Code, Title 5: 310CMR15.260 & Town of Nantucket Board of Health Regulations Section 49.00. Included for your review are a locus map and a site plan with the proposed tight tank shown. The proposed tank is to replace an existing system that is compromised due to the erosion on #14 Maine Ave. The tank is proposed to serve two existing structures that will be relocated from #14 to #10 Maine Ave, which is immediately adjacent. The owner of #14 has a pending purchase of #10 from the Town of Nantucket through the yard sale program. The transaction is delayed due to process related to registered (Land Court) property. There is no proposed expansion of the structures or capacity.

The project site is located north of Millie's Bridge, within the district set forth in Section 49. There is an eroding Coastal Bank in the area, from which the tank is proposed approximately 110-feet away from. This proposal sets forth a net benefit of a greater level of environmental protection by complete removal of the pollutant loading from the site. I plan to attend your next meeting should you have any questions.

Sincerely,  
Blackwell & Associates, Inc.  
By: Arthur D. Gasbarro, P.E., P.L.S.

A handwritten signature in cursive script, appearing to read "Arthur D. Gasbarro".

Cc: James Merberg, Trustee  
C. Elizabeth Gibson, Town Manager



60.3.1.404

60.3.1.400

60.3.1.398

196

60.3.1.394

60.3.1.392

60.3.1.390

New Jersey Ave

Maine Ave

60.3.1.446

60.3.1.420

60.3.1.445

60.3.1.448

60.3.1.425

60.3.1.422

Maine Ave

60.3.1.437

60.3.1.451

California Ave

60.3.1.435

60.3.1.433

60.3.1.455

60.3.1.431

60.3.1.459

California Ave

60.3.1.429

10

60.3.1.427

60.3.1.463

60.3.1.465

14

60.3.1.467

60.64

302


LOCUS MAP  
2014 AERIAL

THIS PLOT PLAN WAS PREPARED FOR THE TOWN OF NANTUCKET HEALTH DEPARTMENT ONLY AND SHOULD NOT BE CONSIDERED A PROPERTY LINE SURVEY. THIS PLAN SHOULD NOT BE USED TO ESTABLISH PROPERTY LINES, FENCES, HEDGES OR ANY ANCILLARY STRUCTURES ON THE PREMISES. THE PROPERTY LINES SHOWN RELY ON CURRENT DEEDS AND PLANS OF RECORD.

**NOTE:**  
SEPTIC SYSTEM AND WELL LOCATIONS SHOWN HEREON ARE BASED UPON RECORD FILES AT THE NANTUCKET HEALTH DEPARTMENT.

**LEGEND**

- ODS DENOTES OUTDOOR SHOWER
- DENOTES RESOURCE AREA BOUNDARY
- 11 --- DENOTES EXIST. GRADE CONTOUR
- C.O. DENOTES PROPOSED CLEANOUT



\*EXISTING LEACH TRENCH AND COMPONENTS TO BE REMOVED\*

\*EXISTING SEPTIC TANK AND SEPTIC COMPONENTS TO BE PUMPED EMPTY AND REMOVED\*

SITE BENCHMARK:  
12" SPK SET EL= 7.38  
REFERENCE DATUM '34 HTL

**SITE PLAN TO ACCOMPANY AN UPGRADE OF A SUBSURFACE SEWAGE TREATMENT & DISPOSAL SYSTEM WITH A TIGHT TANK**

In Nantucket, MA  
prepared for  
**MAINE AVENUE TRUST**

ASSESSOR'S MAP 60.3.1, PARCELS 433, 459  
#10 MAINE AVENUE

Scale: 1" = 50' MARCH 2, 2016

**BLACKWELL and ASSOCIATES, Inc.**  
Professional Land Surveyors  
20 TEASDALE CIRCLE  
NANTUCKET, MASS. 02554  
(508) 228-9026

**OWNER INFORMATION**

JAMES M. MERBERG, TRUSTEE  
MAINE AVENUE TRUST  
Cert. 22413  
L.C.C. 2408-M, LOTS 5-6 & 43-44, Block 34  
ASSESSOR'S MAP 60.3.1, PARCELS 431 & 463  
#12 & #14 MAINE AVENUE

**OWNER INFORMATION**

TOWN OF NANTUCKET  
ORDER OF TAKING DOC. 148406  
L.C.C. 2408-M, LOTS 7-8 & 39-42, Block 34  
ASSESSOR'S MAP 60.3.1, PARCELS 433 & 459  
#10 MAINE AVENUE

T:\JEFF 26 JOB 164

V:\DRAWFILES\B8245\Tight Tank.dwg 3/2/2016 8:58:18 AM EST

**LOT OF RECORD**  
**LOT CREATED: MAY 1, 1912**  
**TOTAL LOT AREA= 20,000 S.F.±**

GRAPHIC SCALE



( IN FEET )  
1 inch = 50 ft.

**SHEET 1 OF 2**

**B8245**

**GENERAL NOTES**

- ALL CONSTRUCTION TO CONFORM TO TITLE 5 OF MASSACHUSETTS STATE ENVIRONMENTAL CODE (310 CMR 15.000 IN EFFECT AS OF MARCH, 2006) AND THE BOARD OF HEALTH REQUIREMENTS FOR THE TOWN OF NANTUCKET.
- TIGHT JOINT (TJ) PIPING TO CONSIST OF POLYVINYL CHLORIDE PIPE (PVC) SCHEDULE 40, UNLESS OTHERWISE NOTED OR AUTHORIZED, ALL PIPES TO BE LAID ON A FIRM BASE. TIGHT JOINTS TO BE WATER TIGHT.
- THE PROPOSED HOLDING TANK SYSTEM SHALL NOT BE BACKFILLED PRIOR TO INSPECTION AND APPROVAL BY THE TOWN OF NANTUCKET BOARD OF HEALTH AND/OR ARTHUR D. GASBARRO, P.E., THE DESIGN ENGINEER.
- UNDERGROUND, AS WELL AS OVERHEAD, UTILITY DATA INDICATED IS PLOTTED FROM VISIBLE FIELD LOCATION AND RECORDS MADE AVAILABLE TO BLACKWELL & ASSOC., INC. THE LOCATIONS ARE APPROXIMATE ONLY AND VERIFICATION SHOULD BE MADE IN THE FIELD PRIOR TO CONSTRUCTION.
- WORK SHOWN HEREON DOES NOT IMPLY CONFORMANCE WITH THE ZONING BY-LAWS OF THE TOWN OF NANTUCKET
- THE HOLDING TANK SHALL BE EQUIPPED WITH A HIGH WATER LEVEL "ALARM BELL - LIGHT SYSTEM" WHICH SHALL BE SET AT 3/5 THS CAPACITY.
- ANY CONDITIONS ENCOUNTERED DURING CONSTRUCTION DIFFERING FROM THOSE SHOWN HEREON SHALL BE REPORTED TO ARTHUR D. GASBARRO, P.E., THE DESIGN ENGINEER, BEFORE CONSTRUCTION CONTINUES.
- THE INSTALLED HOLDING TANK MUST BE WATERPROOF AND WATERTIGHT AND MUST HAVE AT LEAST ONE (1) 24" DIA. CAST IRON FRAME AND COVER AT FINISHED GRADE SO AS TO ELIMINATE ENTRANCE OF SURFACE WATERS.
- THE OWNER SHALL PROVIDE THE TOWN OF NANTUCKET BOARD OF HEALTH WITH THE NAME OF THE CONTRACTED LICENSED SEPTAGE HAULER. DISPOSAL LOCATION: SURFSIDE WASTEWATER TREATMENT FACILITY
- PROPOSED HOLDING TANK SYSTEM TO COMPLY WITH THE D.E.P.'S "TIGHT TANK" POLICY IN EFFECT AS OF MARCH 2006 310 CMR 15.260
- NO PROPERTY SURVEY WAS MADE AS PART OF THIS PLAN. PROPERTY LINE INFORMATION INDICATED WAS OBTAINED FROM RECORD DEEDS AND/OR PLANS.
- AS-BUILT PLANS AND MEASUREMENTS ARE REQUIRED BY THE NANTUCKET BOARD OF HEALTH. CONTACT BLACKWELL & ASSOCIATES, INC. © (508)228-9026 FOR AS-BUILT/SURVEY.
- TOPOGRAPHIC DATA COLLECTED BY BLACKWELL & ASSOC., INC. ON 02/10/16 CONDITIONS SHOWN ARE AS OF SAID DATE.
- PROPOSED CONSTRUCTION IS SUBJECT TO THE MASSACHUSETTS WETLANDS PROTECTION ACT (M.G.L. C131 S.40) AS ADMINISTERED BY THE TOWN OF NANTUCKET CONSERVATION COMMISSION AND THE MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION (D.E.P.)
- EXISTING WELL & SEPTIC SYSTEM LOCATIONS SHOWN HEREON ARE BASED ON RECORD FILES OF THE TOWN OF NANTUCKET HEALTH DEPARTMENT.

**DESIGN CRITERIA**

- TYPE OF ESTABLISHMENT: EXISTING 2 BEDROOM FACILITY
- DESIGN FLOW: 2 BEDROOMS AT 110 GALS./BEDROOM/DAY = 220 GALLONS/DAY
- HOLDING TANK CAPACITY REQUIRED  
220 GAL/DAY x 500% = 1,100 GALLONS
- HOLDING TANK CAPACITY PROVIDED- 4,000 GALS.  
FURNISHED CAPACITY IS 1,818% GREATER THAN THE AVERAGE DAILY DESIGN FLOW (4,000 GALS / 220 GPD x 100% = 1,818%)  
AVERAGE DESIGN TIME BETWEEN PUMPINGS- 18.1 DAYS  
(4,000 GALS. / 220 GPD = 18.1 DAYS)  
AVERAGE DESIGN TIME TO ALARM LEVEL - 10.9 DAYS  
(2,400 GALS. / 220 GPD = 10.9 DAYS)
- IN-HOUSE WATER CONSERVATION PRACTICES AND THE INSTALLATION OF WATER-SAVING DEVICES ARE ENCOURAGED TO MINIMIZE PUMPING FREQUENCY.

**STATEMENT OF NEED**

- NO CHANGE IN USE OF AN EXISTING 2 BEDROOM HOUSE IS PROPOSED.
- PLAN IMPLEMENTATION REQUIRES WRITTEN APPROVAL BY THE NANTUCKET BOARD OF HEALTH AND 310 CMR 15.260 REQUIRES DEPARTMENT APPROVAL OF THE USE OF A TIGHT TANK.
- PROPOSED HOLDING TANK SYSTEM WILL REPLACE AN EXISTING SEPTIC SYSTEM IN JEOPARDY OF EROSION. SURROUNDING ENVIRONMENTAL CONDITIONS WILL BE IMPROVED BY THE INSTALLATION OF THE PROPOSED HOLDING TANK SYSTEM.
- THE INSTALLATION OF AN ACCEPTABLE, TYPICAL SEPTIC TANK/LEACHING FACILITY IS LESS FEASIBLE DUE TO EXTREME EROSION RATES.
- PROPERTY IS LOCATED WITHIN THE MADAKET TIGHT TANK DISTRICT.

**FLOTATION CALCULATIONS**

ASSUME WORST CASE: G.W. @ TOP OF TANK (ELEV.=8.42)


WEIGHT OF CONCRETE: 40,480 lbs. PER PRECAST MANUFACTURER

WEIGHT OF WATER: (17' x 7') x (7.75') = 922.25 C.F.  
922.25 C.F. x 62.4 lbs/C.F. = 57,549 lbs

WEIGHT OF SOIL COVER: (17' x 7') x (2.58' DEEP) = 307 C.F.  
307 C.F. x 70 lbs/C.F. = 21,490 lbs

WEIGHT OF SOIL COVER + CONCRETE: 61,970 LBS.

WEIGHT OF CONCRETE + SOIL COVER IS GREATER THAN WEIGHT OF WATER, THEREFORE, TANK WILL NOT FLOAT WHEN EMPTY, AFTER BACKFILLING. USE CAUTION UNTIL BACKFILLED AND PROVIDE ANCHORING IF NEEDED



**HOLDING TANK SYSTEM PROFILE & DETAILS**

NO SCALE

**ALARM PANEL**

#7001-VERSA'LARM TANK ALARM(CONTROL SWITCH INCLUDED)  
#7006-AUTO DIALER  
ALDERON INDUSTRIES  
WWW.ALDERONIND.COM  
(218)-483-3034

**SITE PLAN TO ACCOMPANY AN UPGRADE OF A SUBSURFACE SEWAGE TREATMENT & DISPOSAL SYSTEM WITH A TIGHT TANK**

*In Nantucket, MA*  
prepared for  
**MAINE AVENUE TRUST**

ASSESSOR'S MAP 60.3.1, PARCELS 433, 459  
#10 MAINE AVENUE

MARCH 2, 2016

**BLACKWELL and ASSOCIATES, Inc.**  
Professional Land Surveyors  
20 TEASDALE CIRCLE  
NANTUCKET, MASS. 02554  
(508) 228-9026



NANTUCKET HEALTH DEPARTMENT  
3 EAST CHESTNUT STREET  
NANTUCKET, MASSACHUSETTS 02554  
Telephone 508.228.7200  
Fax 508.325.6117

**BOARD OF HEALTH REGULATION  
VARIANCE REQUEST  
\$20 per request**

I am requesting: (Check one.)

- A variance of a Local Board of Health Regulation
- A variance of a State Public Health Regulation (310 CMR 15, 105 CMR 590, etc...)

Please write an explanation of the variance requested (use separate paper if needed):

A variance is being requested pursuant to 15.405 (local upgrade approval) for the reduction in distance between the SAS and crawl space, SAS and property line, and septic tank and property line which are necessary due to restrictions including lot size, and coastal resource area locations.

Requestor Name: Nantucket Surveyors, Agent for Quidnet Properties, LLC

Company Name: (if applicable) \_\_\_\_\_

Address: 84 Quidnet Road MAP: 21 PARCEL: 100 & 101

Phone No. 508-228-0240 Fax No. 508-228-9856

Email: psantos@nantucketsurveyors.com

Requestor's Signature: \_\_\_\_\_

Date: 3/11/2016

Please be advised that the Health Department accepts variance requests up to one week before a scheduled Board of Health meeting. Applications received after this deadline will be placed at the subsequent scheduled meeting.

Received by: 

Date: 3/11/16



Commonwealth of Massachusetts

City/Town of

Form 9A – Application for Local Upgrade Approval

DEP has provided this form for use by local Boards of Health. Other forms may be used, but the information must be substantially the same as that provided here. Before using this form, check with your local Board of Health to determine the form they use.

Form 9A is to be submitted to the Local Board of Health for the upgrade of a failed or nonconforming septic system with a design flow of less than 10,000 gpd, where full compliance, as defined in 310 CMR 15.404(1), is not feasible.

System upgrades that cannot be performed in accordance with 310 CMR 15.404 and 15.405, or in full compliance with the requirements of 310 CMR 15.000, require a variance pursuant to 310 CMR 15.410 through 15.415.

NOTE: Local upgrade approval shall not be granted for an upgrade proposal that includes the addition of a new design flow to a cesspool or privy, or the addition of a new design flow above the existing approved capacity of an on-site system constructed in accordance with either the 1978 Code or 310 CMR 15.000.

A. Facility Information

Important: When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



1. Facility Name and Address:

Residence Name: 84 Quidnet Road, Street Address; Nantucket, MA 02554, City/Town, State, Zip Code

2. Owner Name and Address (if different from above):

Quidnet Properties, LLC, 177 W Putnam Ave, Street Address; Greenwich, CT 06830, City/Town, State, Zip Code; 508-228-0240 Nantucket Surveyors, LLC -Agent, Telephone Number

3. Type of Facility (check all that apply):

[X] Residential [ ] Institutional [ ] Commercial [ ] School

4. Describe Facility:

4 Bedroom Residence

5. Type of Existing System:

[ ] Privy [X] Cesspool(s) [ ] Conventional [ ] Other (describe below):

6. Type of soil absorption system (trenches, chambers, leach field, pits, etc):

Pit



Commonwealth of Massachusetts

City/Town of

Form 9A – Application for Local Upgrade Approval

DEP has provided this form for use by local Boards of Health. Other forms may be used, but the information must be substantially the same as that provided here. Before using this form, check with your local Board of Health to determine the form they use.

A. Facility Information (continued)

7. Design Flow per 310 CMR 15.203:

Design flow of existing system:	<u>440</u>
	gpd
Design flow of proposed upgraded system	<u>440</u>
	gpd
Design flow of facility:	<u>440</u>
	gpd

B. Proposed Upgrade of System

1. Proposed upgrade is (check one):

Voluntary       Required by order, letter, etc. (attach copy)

Required following inspection pursuant to 310 CMR 15.301: \_\_\_\_\_ date of inspection

2. Describe the proposed upgrade to the system:

Replace existing system with new septic tank, distribution box, and Infiltrator Systems, Inc. leach field system.

3. Local Upgrade Approval is requested for (check all that apply):

Reduction in setback(s) – describe reductions:

SAS/crawl space < 20', Property line/septic tank < 10', Property line/SAS < 10'

Reduction in SAS area of up to 25%: \_\_\_\_\_ SAS size, sq. ft.      \_\_\_\_\_ % reduction

Reduction in separation between the SAS and high groundwater:

Separation reduction \_\_\_\_\_ ft.

Percolation rate \_\_\_\_\_ min./inch

Depth to groundwater \_\_\_\_\_ ft.



Commonwealth of Massachusetts

City/Town of

Form 9A – Application for Local Upgrade Approval

DEP has provided this form for use by local Boards of Health. Other forms may be used, but the information must be substantially the same as that provided here. Before using this form, check with your local Board of Health to determine the form they use.

B. Proposed Upgrade of System (continued)

[X] Relocation of water supply well (explain):

Relocate well to comply with 100 setback requirements to SAS.

[ ] Reduction of 12-inch separation between inlet and outlet tees and high groundwater

[X] Use of only one deep hole in proposed disposal area

[ ] Use of a sieve analysis as a substitute for a perc test

[ ] Other requirements of 310 CMR 15.000 that cannot be met – describe and specify sections of the Code:

If the proposed upgrade involves a reduction in the required separation between the bottom of the soil absorption system and the high groundwater elevation, an Approved Soil Evaluator must determine the high groundwater elevation pursuant to 310 CMR 15.405(1)(h)(1). The soil evaluator must be a member or agent of the local approving authority.

High groundwater evaluation determined by:

Evaluator's Name (type or print)

Signature

Date of evaluation

C. Explanation

Explain why full compliance, as defined in 310 CMR 15.404(1), is not feasible. (Each section must be completed)

1. An upgraded system in full compliance with 310 CMR 15.000 is not feasible:

A variance is being requested pursuant to 15.405 (local upgrade approval) for the reduction in distance between the SAS and crawl space, SAS and property line, and septic tank and property line which are necessary due to restrictions including lot size, and coastal resource area locations.

2. An alternative system approved pursuant to 310 CMR 15.283 to 15.288 is not feasible:

The proposed system will utilize an alternative SAS technology - Infiltrator Systems, Inc. chambers

installed in a field configuration.



Commonwealth of Massachusetts

City/Town of

Form 9A – Application for Local Upgrade Approval

DEP has provided this form for use by local Boards of Health. Other forms may be used, but the information must be substantially the same as that provided here. Before using this form, check with your local Board of Health to determine the form they use.

C. Explanation (continued)

3. A shared system is not feasible:

Nearby properties likely to have similar area restrictions.

4. Connection to a public sewer is not feasible:

Not available.

5. The Application for Local Upgrade Approval must be accompanied by all of the following (check the appropriate boxes):

[X] Application for Disposal System Construction Permit

[X] Complete plans and specifications

[X] Site evaluation forms

[ ] A list of abutters affected by reduced setbacks to private water supply wells or property lines. Provide proof that affected abutters have been notified pursuant to 310 CMR 15.405(2).

[ ] Other (List):

D. Certification

"I, the facility owner, certify under penalty of law that this document and all attachments, to the best of my knowledge and belief, are true, accurate, and complete. I am aware that there may be significant consequences for submitting false information, including, but not limited to, penalties or fine and/or imprisonment for deliberate violations."

Facility Owner's Signature

Harvey Eisen

Print Name

Nantucket Surveyors

Name of Preparer

5 Windy Way

Preparer's address

MA 02554

State/ZIP Code

Date

3/11/2016

Date

Nantucket

City/Town

508-228-0240

Telephone