

SEWER SPILL INVESTIGATIONS . JANUARY 15, 2018

Location	Date	Sample time	Test time	NH3	NO3	PH	TEMP °C
Yacht Club Discharge	1/15/2018	9:06 AM	10:10 AM	0.055	0.182	7.29	8.9
Easy Street Bulkhead	1/15/2018	9:47 AM	10:25 AM	-0.078	0.158	7.7	11.2
Yacht Club Discharge (opposite side)	1/15/2018	9:14 AM	10:13 AM	0.003	0.125	7.52	8.4
South Beach Street	1/15/2018	9:31 AM	10:21 AM	18.8	0.462	7.32	0.462

SEWER SPILL INVESTIGATIONS . JANUARY16, 2018

Location	Date	Sample time	Test time	NH3	NO3	PH	TEMP °C
Yacht Club Discharge	1/16/2018	8:33 AM	9:50 AM	0.101	0.141	7.82	12.6
Easy Street Bulkhead	1/16/2018	9:15 AM	10:15 AM	0.089	0.071	7.83	12.7
Yacht Club Discharge (opposite side)	1/16/2018	8:40 AM	10:25 AM	0.16	0.13	7.73	12.5
South Beach Street	1/16/2018	8:57 AM	10:30 AM	38.7	0.488	7.64	14.2

SEWER SPILL INVESTIGATIONS . JANUARY 17, 2018

Location	Date	Sample time	Test time	NH3	NO3	PH	TEMP °C
Yacht Club Discharge	1/17/2018	8:15 AM	10:10 AM	0.352	-0.744	6.93	15
Easy Street Bulkhead	1/17/2018	8:52 AM	10:15 AM	0.371	-1.07	7.61	14.6
Yacht Club Discharge (opposite side)	1/17/2018	8:23 AM	10:25 AM	0.33	-1.1	7.28	15.2
South Beach Street	1/17/2018	8:38 AM	10:34 AM	47.3	0.767	7.67	16.2

SEWER SPILL INVESTIGATIONS . JANUAR 18, 2018

Location	Date	Sample time	Test time	NH3	NO3	PH	TEMP °C
Yacht Club Discharge	1/18/18/	8:08	10:30 AM	0.403	0.13	7.45	14.8
Easy Street Bulkhead	1/18/18/	8:48 AM	10:38 AM	0.275	0.17	7.77	14.3
Yacht Club Discharge (opposite side)	1/18/18/	8:17 AM	10:47 AM	0.43	0.164	7.43	15.1
South Beach Street	1/18/18/	8:33 AM	10:52 AM	90.1	1.06	7.8	15.6

SEWER SPILL INVESTIGATIONS . JANUAR 19, 2018

Location	Date	Sample time	Test time	NH3	NO3	PH	TEMP °C
Yacht Club Discharge	1/1/19/18	8:3200 AM	9:20 AM	0.263	0.112	7.44	7.1
Easy Street Bulkhead	1/1/19/18	9:02 AM	9:26 AM	0.222	0.092	7.7	8.1
Yacht Club Discharge (opposite side)	1/1/19/18	8:37 AM	9:31 AM	0.227	0.091	7.77	7
South Beach Street	1/1/19/18	8:51 AM	9:38 AM	68.8	1.81	7.35	11.6